

Product Data Sheet

Product Description

- Ice and snow melt the moment they come in contact with IceAway® Max™
- Offers one of the lowest melting temperatures available
- A powerful, self-initiating chemical reaction generates heat, so melting occurs even in exceptionally cold weather
- Melts ice and snow down to -25°F/-32°C



Physical Properties

- Bulk Density: 50 lb/ft³

Chemical Analysis

Constituent		Units	Typical	Range
Calcium Chloride Pellets	CaCl ₂	(%)	100	73 Min

Typical Screen Data

U.S.S. Mesh	Tyler Mesh	Open (Inches)	Typical Cumulative Retained %
4	4	0.187	0.00
8	8	0.0937	74.30
12	10	0.0661	23.30
16	14	0.0469	2.30
Pan			0.1

Method of Analysis - American Society for Testing and Materials Procedure E534.
All other testing is from Compass Minerals' internal quality control procedures.

Packaging

Palletization

UPC Code	New Product Code	Old Product Code	Description	Size (lb)	Volume (ft ³)	Dimensions (W" x L" x H")	Bags per Pallet	Dimensions (W" x L" x H")	Weight (lb)	Pallet Pattern (Ti x Hi)
073841-506505	2541388	50650	Bag	50	1.07	25 x 16.5 x 4.5	48	48 x 40 x 44	2465	6 x 8

Compass Minerals
9900 West 109th Street – Suite 100
Overland Park, Kansas 66210
Ph: 800-755-7258 Fax: 800-359-7258

This information is based on our present state of knowledge and is intended to provide general notes on the product(s) supplied by us and their uses. The information should not be construed as a specific property promise or guarantee of the product(s). Chemical Analysis and Screen Data are based on the previous year's historical data.

September 2019