

SureSoft[®] CubesPlus[®] with Rust Buster[®]

Product Data Sheet

Product Description

- Sodium chloride produced by standard solar evaporation technology from the Great Salt Lake in Utah
- The salt is washed for removal of impurities, kiln dried, pressed into pellets, screened, and quality control tested
- Conforms to the American Water Works Association Standard B200-17
- Certified by NSF to NSF/ANSI/CAN Standard 60

Production Location

• Ogden, Utah - USA



Physical Properties

• Bulk Density: 65 lb/ft³

Admixture

 Rust Buster[®] is a proprietary additive and iron removal agent for water softener resin maintenance

Chemical Analysis								
Constituent		Units	Typical	Range				
Sodium Chloride	NaCl	(%)	99.82	99.35 - 100				
Calcium	Ca	ppm	155	0 - 838				
Magnesium	Mg	ppm	249	0 - 984				
Sulfate	SO ₄	ppm	930	0 - 4028				
Water Insolubles		ppm	69	0 - 184				

Typical Screen Data								
U.S. Sieve Size	Tyler Mesh	Open (Inches)	Typical Retained %	Cumulative Retained %				
1/4		0.250	95.0	95.0				
Pan	Pan		5.0	100.0				

Method of Analysis - American Society for Testing and Materials Procedure E534. All other testing is from Compass Minerals' internal quality control procedures.

Packaging						Palletization				
UPC Code	New Product Code	Old Product Code	Description	Size (lb)	Volume (ft ³)	Dimensions (W" x L" x H")	Bags per Pallet	Dimensions (W" x L" x H")	Weight (lb)	Pallet Pattern (Ti x Hi)
041482-322402	765978	32240	Bag	40	0.61	27 x 13 x 3	63	48 x 40 x 35	2585	7 x 9

Compass Minerals 9900 West 109th Street – Suite 100 Overland Park, Kansas 66210 Ph: 800-755-7258 Fax: 800-359-7258 This information is based on our present state of knowledge and is intended to provide general notes on the product(s) supplied by us and their uses. The information should not be construed as a specific property promise or guarantee of the product(s). Chemical Analysis and Screen Data are based on the previous year's historical data.